

Attributes

- GRP Corrosion Resistant body
- Wide light distribution
- Removable Gear and lamp tray
- Ceiling or trunking mounting Options
- HF Electronic Control Gear as standard

Description

A range of vapour sealed and corrosion resistant luminaires with polycarbonate diffuser for general use in many areas such as kitchens, washrooms, and external applications. The body is made from GRP, and the diffuser from polycarbonate. The white powder coated mild steel geartray is removable for ease of maintenance. There are various lengths and lamp options to enable a suitable balance between efficacy and effect to be achieved. The range comes with HF electronic gear as standard to comply with Amendment L1 of the Building Regulations.

Specification

LAMP TYPE	CATALOGUE NUMBER	WEIGHT (KG)
1 x 18W T8 Fluorescent	NC 118	2.1
2 x 18W T8 Fluorescent	NC 218	2.8
1 x 36W T8 Fluorescent	NC 136	2.8
2 x 36W T8 Fluorescent	NC 236	4.2
1 x 58W T8 Fluorescent	NC 158	3.5
2 x 58W T8 Fluorescent	NC 258	5
1 x 70W T8 Fluorescent	NC 170	4.1
2 x 70W T8 Fluorescent	NC 270	6.1
OPTIONS		
Acrylic Controller	.AC	
Maintained emergency on one tubeway	.EM	1
Stainless Steel clips	.SSC	0.1
HF Digital Dimming Ballast	.HFDD	0.1


Technical

This range is suitable for normal operation from a 230V 50Hz supply. Other options are available. Do not carry out high voltage circuit tests with these luminaires. Always replace lamps before cycling occurs at end of life to avoid damage or injury due to lamp rectification. For any advice regarding the technical aspects of these products please consult our technical department.

Dimensions

CATALOGUE NUMBER	LENGTH (MM)	WIDTH (MM)	HEIGHT (MM)	FIXING CENTRES (MM)
SL5.01.NC 118	666	125	118	600
SL5.01.NC 218	666	194	118	600
SL5.01.NC 136	1276	125	118	900
SL5.01.NC 236	1276	194	118	900
SL5.01.NC 158	1576	125	118	1200
SL5.01.NC 258	1576	194	118	1200
SL5.01.NC 170	1872	125	118	1200
SL5.01.NC 270	1872	194	118	1200

Photometrics



All information, recommendation, or advice contained in this document or given by Sondia Lighting, or any of its subsidiaries, affiliates, or authorised representatives, whether written or oral, is given in good faith, to the best of its knowledge, and based on current procedures in effect. The products of Sondia Lighting, or if applicable, of its subsidiaries or affiliates are sold subject to General Conditions of Sale which are available upon request. Nothing in this or any other document shall alter, vary or supersede, or operate to waive any of the General Conditions of Sale. Each user of the products shall convince themselves, through all available sources (including finished product testing in its appropriate environment) of the suitability of the products supplied for its own particular purpose. Because actual use of the products by the user is beyond the control of Sondia Lighting, its subsidiaries and affiliates, such use is within the exclusive responsibility of the user. Sondia Lighting, its subsidiaries and affiliates cannot be held responsible for any loss incurred through incorrect or faulty use of the products. Information, recommendation and / or advice are neither made to infringe on any patents, nor to grant a license under any patent or intellectual property right of Sondia Lighting or any of its subsidiaries or affiliated companies, nor to grant the right to file for any patent protection. We have a policy of continuous technical development and products and / or descriptions, and / or materials may be changed without prior public announcement or warning.